





































































































## Survey on Stigma and Neurological Disorder

Lack of understanding of the condition								
	1	2	3	4	5	6	TOTAL	SCORE
Q7: ADHD (A)	25.00% 18	31.94% 23	16.67% 12	18.06% 13 C	2.78% 2 DF	5.56% 4 H	9.28% 72	4.42
Q7: Chronic pain (B)	26.09% 12	30.43% 14	17.39% 8	15.22% 7	6.52% 3	4.35% 2 H	5.93% 46	4.41
Q7: Dystonia (C)	33.33% 64 E	25.00% 48 EG	18.75% 36	7.29% 14 AF	7.81% 15	7.81% 15 H	24.74% 192	4.45
Q7: Epilepsy (D)	22.08% 17	23.38% 18 E	25.97% 20 FHI	12.99% 10	12.99% 10 AG	2.60% 2 H	9.92% 77	4.21
Q7: Migraine or headache (E)	18.37% 18 C	37.76% 37 CDF	18.37% 18	13.27% 13	9.18% 9	3.06% 3 H	12.63% 98	4.34
Q7: Multiple sclerosis (F)	24.59% 15	19.67% 12 EG	11.48% 7 D	24.59% 15 CG	11.48% 7 AG	8.20% 5	7.86% 61	3.97
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	26.92% 63	33.76% 79 CF	18.80% 44	9.83% 23 F	4.27% 10 DFI	6.41% 15 H	30.15% 234	4.50
Q7: Parkinson's disease (H)	21.15% 11	30.77% 16	11.54% 6 D	13.46% 7	5.77% 3	17.31% 9 ABCDEG	6.70% 52	3.96
Q7: Restless Legs Syndrome (RLS) (I)	28.13% 18	28.13% 18	12.50% 8 D	12.50% 8	10.94% 7 G	7.81% 5	8.25% 64	4.27
The invisible nature of the condition								
	1	2	3	4	5	6	TOTAL	SCORE
Q7: ADHD (A)	26.39% 19	16.67% 12	18.06% 13	12.50% 9	13.89% 10 E	12.50% 9 G	9.28% 72	3.92
Q7: Chronic pain (B)	33.33% 15 CDH	22.22% 10	15.56% 7	17.78% 8	6.67% 3	4.44% 2 CDH	5.80% 45	4.44
Q7: Dystonia (C)	17.68% 32 BEI	16.57% 30 F	13.81% 25 G	14.92% 27	17.13% 31 EG	19.89% 36 BGI	23.32% 181	3.43
Q7: Epilepsy (D)	17.11% 13 BEI	18.42% 14	13.16% 10 G	18.42% 14	15.79% 12 E	17.11% 13 BG	9.79% 76	3.51
Q7: Migraine or headache (E)	30.93% 30 CDGH	17.53% 17	20.62% 20	14.43% 14	5.15% 5 ACDH	11.34% 11 G	12.50% 97	4.21
Q7: Multiple sclerosis (F)	28.57% 18 H	28.57% 18 CH	14.29% 9 G	7.94% 5 GH	9.52% 6	11.11% 7 G	8.12% 63	4.25
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	20.78% 48 EI	21.21% 49	27.27% 63 CDF	19.05% 44 F	8.66% 20 CH	3.03% 7 ACDEFH	29.77% 231	4.17
Q7: Parkinson's disease (H)	12.50% 6 BEFI	12.50% 6 F	16.67% 8	20.83% 10 F	18.75% 9 EG	18.75% 9 BG	6.19% 48	3.23
Q7: Restless Legs Syndrome (RLS) (I)	32.79% 20 CDGH	21.31% 13	19.67% 12	9.84% 6	9.84% 6	6.56% 4 C	7.86% 61	4.38

Misconceptions/myths about the condition									
	1	2	3	4	5	6	TOTAL	SCORE	
Q7: ADHD (A)	23.61% 17 C	31.94% 23 CEF	19.44% 14	18.06% 13	4.17% 3 CHI	2.78% 2 CF	9.28% 72	4.44	
Q7: Chronic pain (B)	23.91% 11 C	19.57% 9	21.74% 10	15.22% 7	13.04% 6	6.52% 3	5.93% 46	4.07	
Q7: Dystonia (C)	5.35% 10 ABDEFGH	16.04% 30 A	20.32% 38	21.93% 41 FGH	20.32% 38 AEFG	16.04% 30 AEG	24.10% 187	3.16	
Q7: Epilepsy (D)	22.08% 17 C	25.97% 20	18.18% 14	11.69% 9	11.69% 9	10.39% 8 G	9.92% 77	4.04	
Q7: Migraine or headache (E)	25.51% 25 CI	18.37% 18 A	23.47% 23	15.31% 15	10.20% 10 C	7.14% 7 C	12.63% 98	4.12	
Q7: Multiple sclerosis (F)	23.73% 14 C	16.95% 10 A	27.12% 16	10.17% 6 C	8.47% 5 CH	13.56% 8 AG	7.60% 59	3.97	
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	33.19% 77 CHI	23.71% 55	22.41% 52	11.21% 26 C	6.03% 14 CHI	3.45% 8 CDFHI	29.90% 232	4.56	
Q7: Parkinson's disease (H)	16.00% 8 CG	20.00% 10	26.00% 13	6.00% 3 CI	22.00% 11 AFG	10.00% 5 G	6.44% 50	3.72	
Q7: Restless Legs Syndrome (RLS) (I)	12.70% 8 EG	19.05% 12	23.81% 15	19.05% 12 H	15.87% 10 AG	9.52% 6 G	8.12% 63	3.65	
Because it is a brain disorder									
	1	2	3	4	5	6	TOTAL	SCORE	
Q7: ADHD (A)	2.82% 2 DH	9.86% 7 G	9.86% 7 G	11.27% 8 CG	22.54% 16 G	43.66% 31 CDFGH	9.15% 71	2.28	
Q7: Chronic pain (B)	8.70% 4	2.17% 1 CDFH	6.52% 3 F	6.52% 3 C	19.57% 9	56.52% 26 CDFGH	5.93% 46	2.04	
Q7: Dystonia (C)	8.29% 15	14.36% 26 BG	14.92% 27 G	30.39% 55 ABDEFGHI	17.13% 31 F	14.92% 27 ABDEGI	23.32% 181	3.22	
Q7: Epilepsy (D)	12.82% 10 AF	14.10% 11 BG	12.82% 10 G	17.95% 14 CG	16.67% 13	25.64% 20 ABCEG	10.05% 78	3.12	
Q7: Migraine or headache (E)	7.22% 7	9.28% 9 G	8.25% 8 FG	11.34% 11 CG	19.59% 19	44.33% 43 CDFGH	12.50% 97	2.40	
Q7: Multiple sclerosis (F)	3.23% 2 DH	16.13% 10 BG	20.97% 13 BEG	11.29% 7 CG	29.03% 18 CG	19.35% 12 ABEGI	7.99% 62	2.95	
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	7.52% 17	2.65% 6 ACDEFHI	1.77% 4 ACDEFHI	3.54% 8 ACDEFHI	12.83% 29 AF	71.68% 162 ABCDEFHI	29.12% 226	1.73	
Q7: Parkinson's disease (H)	13.73% 7 AF	15.69% 8 BG	15.69% 8 G	15.69% 8 CG	21.57% 11	17.65% 9 ABEGI	6.57% 51	3.31	
Q7: Restless Legs Syndrome (RLS) (I)	9.84% 6	9.84% 6 G	13.11% 8 G	11.48% 7 CG	14.75% 9	40.98% 25 CFGH	7.86% 61	2.66	

**Q44 In which area of your life has stigma been most problematic? (Please rank from 1 to 7 with the most problematic area first)**

Answered: 764 Skipped: 453

During education									
	1	2	3	4	5	6	7	TOTAL	SCORE
Q7: ADHD (A)	28.17% 20 BCEFGHI	14.08% 10	15.49% 11 C	7.04% 5	16.90% 12	14.08% 10	4.23% 3 BCDEFGHI	9.29% 71	4.70
Q7: Chronic pain (B)	9.52% 4 A	14.29% 6	7.14% 3	4.76% 2	16.67% 7	16.67% 7	30.95% 13 A	5.50% 42	3.21
Q7: Dystonia (C)	8.98% 15 AD	8.38% 14 DE	7.19% 12 A	8.38% 14	8.98% 15	18.56% 31	39.52% 66 AD	21.86% 167	2.86
Q7: Epilepsy (D)	22.54% 16 CEGHI	18.31% 13 C	14.08% 10	8.45% 6	7.04% 5	12.68% 9	16.90% 12 ACG	9.29% 71	4.35
Q7: Migraine or headache (E)	8.79% 8 AD	18.68% 17 CG	9.89% 9	5.49% 5	8.79% 8	20.88% 19	27.47% 25 A	11.91% 91	3.41
Q7: Multiple sclerosis (F)	13.79% 8 A	8.62% 5	10.34% 6	12.07% 7	12.07% 7	12.07% 7	31.03% 18 A	7.59% 58	3.40
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	7.44% 16 AD	10.23% 22 E	9.77% 21	9.77% 21	11.63% 25	17.67% 38	33.49% 72 AD	28.14% 215	3.05
Q7: Parkinson's disease (H)	7.14% 3 AD	7.14% 3	14.29% 6	11.90% 5	14.29% 6	19.05% 8	26.19% 11 A	5.50% 42	3.19
Q7: Restless Legs Syndrome (RLS) (I)	8.62% 5 AD	8.62% 5	6.90% 4	8.62% 5	13.79% 8	24.14% 14	29.31% 17 A	7.59% 58	3.00
In employment									
	1	2	3	4	5	6	7	TOTAL	SCORE
Q7: ADHD (A)	25.71% 18 BGI	28.57% 20 DH	14.29% 10	14.29% 10	5.71% 4	5.71% 4 BGH	5.71% 4 G	9.16% 70	5.14
Q7: Chronic pain (B)	6.98% 3 ACDEFH	25.58% 11 H	11.63% 5	11.63% 5	6.98% 3	25.58% 11 ACD	11.63% 5	5.63% 43	3.91
Q7: Dystonia (C)	29.28% 53 BGI	18.78% 34	16.57% 30	12.15% 22	9.39% 17	7.18% 13 BGH	6.63% 12 G	23.69% 181	4.98
Q7: Epilepsy (D)	32.88% 24 BGI	12.33% 9 A	16.44% 12	16.44% 12 F	8.22% 6	5.48% 4 BGH	8.22% 6	9.55% 73	4.96
Q7: Migraine or headache (E)	24.73% 23 BGI	22.58% 21 H	12.90% 12	8.60% 8	5.38% 5	12.90% 12	12.90% 12	12.17% 93	4.62
Q7: Multiple sclerosis (F)	34.48% 20 BGI	20.69% 12	12.07% 7	5.17% 3 D	5.17% 3	12.07% 7	10.34% 6	7.59% 58	4.97
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	10.36% 23 ACDEFH	18.92% 42	13.51% 30	13.06% 29	10.36% 23	18.02% 40 ACD	15.77% 35 AC	29.06% 222	3.89
Q7: Parkinson's disease (H)	26.09% 12 BGI	8.70% 4 ABE	19.57% 9	6.52% 3	8.70% 4	19.57% 9 ACD	10.87% 5	6.02% 46	4.35
Q7: Restless Legs Syndrome (RLS) (I)	10.53% 6 ACDEFH	15.79% 9	15.79% 9	15.79% 9	14.04% 8	15.79% 9	12.28% 7	7.46% 57	3.96



In romantic relationships									
	1	2	3	4	5	6	7	TOTAL	SCORE
Q7: ADHD (A)	8.57% 6	8.57% 6	15.71% 11	12.86% 9	12.86% 9	18.57% 13	22.86% 16 C	9.16% 70	3.40
Q7: Chronic pain (B)	8.89% 4	8.89% 4	17.78% 8	11.11% 5	8.89% 4	15.56% 7	28.89% 13 CF	5.89% 45	3.36
Q7: Dystonia (C)	8.67% 15	16.76% 29 DEG	14.45% 25	12.14% 21	13.87% 24	21.39% 37	12.72% 22 ABEG	22.64% 173	3.79
Q7: Epilepsy (D)	11.11% 8	6.94% 5 CI	11.11% 8	15.28% 11	11.11% 8	22.22% 16	22.22% 16	9.42% 72	3.36
Q7: Migraine or headache (E)	10.87% 10	3.26% 3 CFI	13.04% 12	9.78% 9	16.30% 15	19.57% 18	27.17% 25 CF	12.04% 92	3.15
Q7: Multiple sclerosis (F)	13.56% 8	13.56% 8 E	20.34% 12	11.86% 7	15.25% 9	13.56% 8	11.86% 7 BE	7.72% 59	4.10
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	6.28% 14 H	6.73% 15 CI	14.35% 32	14.35% 32	11.66% 26	23.32% 52	23.32% 52 C	29.19% 223	3.18
Q7: Parkinson's disease (H)	15.22% 7 G	8.70% 4	8.70% 4	10.87% 5	15.22% 7	17.39% 8	23.91% 11	6.02% 46	3.50
Q7: Restless Legs Syndrome (RLS) (I)	11.86% 7	20.34% 12 DEG	16.95% 10	10.17% 6	13.56% 8	11.86% 7	15.25% 9	7.72% 59	4.10
In friendships									
	1	2	3	4	5	6	7	TOTAL	SCORE
Q7: ADHD (A)	2.82% 2 I	18.31% 13	15.49% 11	16.90% 12 BEI	15.49% 11	16.90% 12	14.08% 10 DG	9.29% 71	3.69
Q7: Chronic pain (B)	10.87% 5	10.87% 5	19.57% 9	32.61% 15 A	10.87% 5	10.87% 5	4.35% 2	6.02% 46	4.28
Q7: Dystonia (C)	5.65% 10	12.43% 22	16.95% 30	25.99% 46	19.77% 35	11.86% 21	7.34% 13	23.17% 177	3.93
Q7: Epilepsy (D)	9.86% 7	18.31% 13	16.90% 12	19.72% 14	21.13% 15	9.86% 7	4.23% 3 A	9.29% 71	4.30
Q7: Migraine or headache (E)	5.38% 5	11.83% 11	19.35% 18	32.26% 30 A	15.05% 14	8.60% 8	7.53% 7	12.17% 93	4.04
Q7: Multiple sclerosis (F)	5.08% 3	18.64% 11	13.56% 8	23.73% 14	20.34% 12	13.56% 8	5.08% 3	7.72% 59	4.03
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	6.87% 16	12.88% 30	21.89% 51	24.46% 57	20.17% 47	9.87% 23	3.86% 9 A	30.50% 233	4.17
Q7: Parkinson's disease (H)	6.38% 3	12.77% 6	17.02% 8	29.79% 14	17.02% 8	10.64% 5	6.38% 3	6.15% 47	4.04
Q7: Restless Legs Syndrome (RLS) (I)	13.33% 8 A	8.33% 5	15.00% 9	33.33% 20 A	10.00% 6	13.33% 8	6.67% 4	7.85% 60	4.15

Interaction with family									
	1	2	3	4	5	6	7	TOTAL	SCORE
Q7: ADHD (A)	9.72% 7	11.11% 8 H	12.50% 9	12.50% 9	23.61% 17	18.06% 13	12.50% 9	9.42% 72	3.67
Q7: Chronic pain (B)	8.89% 4	17.78% 8	11.11% 5	15.56% 7	17.78% 8	20.00% 9	8.89% 4 D	5.89% 45	3.89
Q7: Dystonia (C)	7.43% 13 H	13.14% 23 H	12.57% 22	17.14% 30	18.86% 33	16.57% 29	14.29% 25 DH	22.91% 175	3.66
Q7: Epilepsy (D)	6.94% 5	11.11% 8 H	5.56% 4 FG	13.89% 10	12.50% 9	25.00% 18 GI	25.00% 18 BCEFGH	9.42% 72	3.11
Q7: Migraine or headache (E)	7.53% 7	11.83% 11 H	12.90% 12	20.43% 19 I	20.43% 19	18.28% 17	8.60% 8 D	12.17% 93	3.76
Q7: Multiple sclerosis (F)	8.47% 5	8.47% 5 H	18.64% 11 D	11.86% 7	20.34% 12	22.03% 13	10.17% 6 D	7.72% 59	3.66
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	5.63% 13 H	16.45% 38	15.15% 35 D	19.05% 44 I	20.78% 48	12.99% 30 D	9.96% 23 D	30.24% 231	3.88
Q7: Parkinson's disease (H)	18.00% 9 CG	26.00% 13 ACDEF	12.00% 6	12.00% 6	16.00% 8	12.00% 6	4.00% 2 CD	6.54% 50	4.66
Q7: Restless Legs Syndrome (RLS) (I)	10.00% 6	16.67% 10	15.00% 9	8.33% 5 EG	25.00% 15	10.00% 6 D	15.00% 9	7.85% 60	3.88

  

Interaction with medical professionals									
	1	2	3	4	5	6	7	TOTAL	SCORE
Q7: ADHD (A)	18.06% 13 BDEG	13.89% 10 H	18.06% 13	15.28% 11 G	6.94% 5	8.33% 6 C	19.44% 14 BEG	9.42% 72	4.18
Q7: Chronic pain (B)	46.67% 21 ACDFH	6.67% 3 H	22.22% 10 FG	11.11% 5	8.89% 4	2.22% 1 CDF	2.22% 1 ACDF	5.89% 45	5.56
Q7: Dystonia (C)	11.17% 20 BEGI	10.06% 18 H	20.67% 37 FG	12.29% 22 G	13.97% 25 G	18.44% 33 ABEGI	13.41% 24 BG	23.43% 179	3.83
Q7: Epilepsy (D)	5.63% 4 ABEGI	16.90% 12 H	19.72% 14 FG	8.45% 6	15.49% 11 G	16.90% 12 BG	16.90% 12 BG	9.29% 71	3.70
Q7: Migraine or headache (E)	34.02% 33 ACDFGH	13.40% 13 H	16.49% 16	8.25% 8	12.37% 12 G	8.25% 8 C	7.22% 7 AF	12.70% 97	4.95
Q7: Multiple sclerosis (F)	10.17% 6 BEGI	16.95% 10 H	6.78% 4 BCDI	16.95% 10 G	15.25% 9 G	13.56% 8 BG	20.34% 12 BEG	7.72% 59	3.68
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	56.36% 133 ACDEFHI	15.25% 36 H	9.75% 23 BCDI	4.66% 11 ACF	4.66% 11 CDEFH	3.39% 8 CDF	5.93% 14 ACDF	30.89% 236	5.80
Q7: Parkinson's disease (H)	6.25% 3 BEGI	35.42% 17 ABCDEFGI	14.58% 7	10.42% 5	14.58% 7 G	8.33% 4	10.42% 5	6.28% 48	4.42
Q7: Restless Legs Syndrome (RLS) (I)	32.79% 20 CDFGH	16.39% 10 H	19.67% 12 FG	6.56% 4	9.84% 6	6.56% 4 C	8.20% 5	7.98% 61	5.03

Interaction with the public									
	1	2	3	4	5	6	7	TOTAL	SCORE
Q7: ADHD (A)	8.45% 6 CH	7.04% 5 CEG	8.45% 6	21.13% 15	16.90% 12	16.90% 12 C	21.13% 15 CDEGI	9.29% 71	3.34
Q7: Chronic pain (B)	8.89% 4 CH	17.78% 8 H	11.11% 5	13.33% 6	28.89% 13 CFHI	8.89% 4	11.11% 5	5.89% 45	3.93
Q7: Dystonia (C)	29.84% 57 ABDEGI	19.37% 37 AH	13.61% 26	12.57% 24	13.09% 25 B	5.24% 10 AEFGI	6.28% 12 AH	25.00% 191	4.99
Q7: Epilepsy (D)	12.68% 9 CH	15.49% 11	16.90% 12	16.90% 12	22.54% 16 FH	8.45% 6	7.04% 5 A	9.29% 71	4.25
Q7: Migraine or headache (E)	10.31% 10 CH	17.53% 17 AH	17.53% 17	12.37% 12	20.62% 20 FH	12.37% 12 C	9.28% 9 A	12.70% 97	4.10
Q7: Multiple sclerosis (F)	17.24% 10 G	15.52% 9	17.24% 10	20.69% 12	6.90% 4 BDEG	13.79% 8 C	8.62% 5	7.59% 58	4.40
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	7.76% 18 CFH	22.41% 52 AH	17.67% 41	15.52% 36	19.83% 46 FH	11.64% 27 C	5.17% 12 AH	30.37% 232	4.27
Q7: Parkinson's disease (H)	31.25% 15 ABDEGI	4.17% 2 BCEGI	20.83% 10	10.42% 5	6.25% 3 BDEG	10.42% 5	16.67% 8 CG	6.28% 48	4.46
Q7: Restless Legs Syndrome (RLS) (I)	11.67% 7 CH	16.67% 10 H	13.33% 8	18.33% 11	13.33% 8 B	18.33% 11 C	8.33% 5 A	7.85% 60	4.07

### Q45 Please rate the following

Answered: 794 Skipped: 423

Because of my illness, some people seemed uncomfortable with me.						
	NEVER	RARELY	SOMETIMES	OFTEN	ALWAYS	TOTAL
Q7: ADHD (A)	5.33% 4 CDFHI	17.33% 13	40.00% 30	34.67% 26 CDEFHI	2.67% 2	9.45% 75
Q7: Chronic pain (B)	0.00% 0 CDFHI	13.04% 6 I	45.65% 21 I	32.61% 15 DEFHI	8.70% 4 CDF	5.79% 46
Q7: Dystonia (C)	14.09% 31 ABEG	18.18% 40 I	44.55% 98 I	21.82% 48 AH	1.36% 3 BE	27.71% 220
Q7: Epilepsy (D)	19.23% 15 ABEG	25.64% 20	41.03% 32 I	12.82% 10 ABG	1.28% 1 B	9.82% 78
Q7: Migraine or headache (E)	4.95% 5 CDFHI	18.81% 19	52.48% 53 HI	17.82% 18 AB	5.94% 6 CF	12.72% 101
Q7: Multiple sclerosis (F)	17.91% 12 ABEG	25.37% 17	43.28% 29 I	13.43% 9 ABG	0.00% 0 BE	8.44% 67
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	4.18% 10 CDFHI	19.67% 47	46.86% 112 I	25.52% 61 DFH	3.77% 9	30.10% 239
Q7: Parkinson's disease (H)	23.81% 15 ABEG	28.57% 18	36.51% 23 E	9.52% 6 ABCG	1.59% 1	7.93% 63
Q7: Restless Legs Syndrome (RLS) (I)	23.61% 17 ABEG	30.56% 22 BC	25.00% 18 BCDEFG	16.67% 12 AB	4.17% 3	9.07% 72
Because of my illness, some people avoided me.						
	NEVER	RARELY	SOMETIMES	OFTEN	ALWAYS	TOTAL
Q7: ADHD (A)	14.67% 11 BCDFGHI	16.00% 12	36.00% 27 I	30.67% 23 CDFHI	2.67% 2	9.45% 75
Q7: Chronic pain (B)	2.22% 1 ACDFHI	8.89% 4 CDFG	44.44% 20 CI	35.56% 16 CDFHI	8.89% 4 CDFH	5.67% 45
Q7: Dystonia (C)	29.55% 65 ABEGH	24.09% 53 B	27.27% 60 BEG	17.27% 38 ABGH	1.82% 4 BG	27.71% 220
Q7: Epilepsy (D)	35.90% 28 ABEG	24.36% 19 B	28.21% 22 G	11.54% 9 ABG	0.00% 0 BG	9.82% 78
Q7: Migraine or headache (E)	11.88% 12 CDFHI	19.80% 20	41.58% 42 CI	22.77% 23 FH	3.96% 4	12.72% 101
Q7: Multiple sclerosis (F)	32.84% 22 ABEG	23.88% 16 B	34.33% 23 I	8.96% 6 ABEG	0.00% 0 B	8.44% 67
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	5.88% 14 ACDFHI	23.11% 55 B	40.76% 97 CDI	24.79% 59 CDFH	5.46% 13 CD	29.97% 238
Q7: Parkinson's disease (H)	48.39% 30 ABCEG	14.52% 9	30.65% 19	6.45% 4 ABCEG	0.00% 0 B	7.81% 62
Q7: Restless Legs Syndrome (RLS) (I)	41.67% 30 ABEG	22.22% 16	19.44% 14 ABEFG	13.89% 10 AB	2.78% 2	9.07% 72

Because of my illness, I felt left out of things.						
	NEVER	RARELY	SOMETIMES	OFTEN	ALWAYS	TOTAL
Q7: ADHD (A)	9.33% 7 BFGHI	6.67% 5 CDFH	26.67% 20	44.00% 33 CDFHI	13.33% 10 BDFGH	9.45% 75
Q7: Chronic pain (B)	0.00% 0 ACDFHI	2.17% 1 CDFHI	17.39% 8 CF	39.13% 18 H	41.30% 19 ACDEFGHI	5.79% 46
Q7: Dystonia (C)	16.89% 37 BEGH	16.44% 36 ABG	33.33% 73 BEGI	25.57% 56 AEG	7.76% 17 BEFG	27.58% 219
Q7: Epilepsy (D)	20.51% 16 BEG	25.64% 20 ABEG	24.36% 19	26.92% 21 AG	2.56% 2 ABEG	9.82% 78
Q7: Migraine or headache (E)	3.96% 4 CDFHI	11.88% 12 DGH	21.78% 22 CF	40.59% 41 CFH	21.78% 22 BCDFHI	12.72% 101
Q7: Multiple sclerosis (F)	22.39% 15 ABEG	19.40% 13 ABG	35.82% 24 BEGI	22.39% 15 AEG	0.00% 0 ABCEGI	8.44% 67
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	2.10% 5 ACDFHI	5.46% 13 CDEFHI	18.49% 44 CF	47.90% 114 CDFHI	26.05% 62 ABCDFHI	29.97% 238
Q7: Parkinson's disease (H)	29.51% 18 ABCEG	24.59% 15 ABEG	27.87% 17	16.39% 10 ABEG	1.64% 1 ABEG	7.68% 61
Q7: Restless Legs Syndrome (RLS) (I)	26.39% 19 ABEG	15.28% 11 BG	20.83% 15 CF	27.78% 20 AG	9.72% 7 BEFG	9.07% 72
Because of my illness, people were unkind to me.						
	NEVER	RARELY	SOMETIMES	OFTEN	ALWAYS	TOTAL
Q7: ADHD (A)	10.67% 8 CDFHI	17.33% 13	41.33% 31 CDFHI	24.00% 18 CDFHI	6.67% 5 CFH	9.45% 75
Q7: Chronic pain (B)	6.52% 3 CDFHI	19.57% 9	43.48% 20 CDFHI	23.91% 11 CDFH	6.52% 3 FH	5.79% 46
Q7: Dystonia (C)	36.99% 81 ABEGH	26.03% 57	26.94% 59 ABGH	8.22% 18 ABEG	1.83% 4 A	27.58% 219
Q7: Epilepsy (D)	39.74% 31 ABEGH	29.49% 23	23.08% 18 ABEG	6.41% 5 ABEG	1.28% 1	9.82% 78
Q7: Migraine or headache (E)	17.00% 17 CDFHI	24.00% 24	37.00% 37 DFHI	17.00% 17 CDFH	5.00% 5	12.59% 100
Q7: Multiple sclerosis (F)	49.25% 33 ABEG	26.87% 18	17.91% 12 ABEG	5.97% 4 ABEG	0.00% 0 AB	8.44% 67
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	12.18% 29 CDFHI	27.31% 65	36.13% 86 CDFHI	21.01% 50 CDFH	3.36% 8	29.97% 238
Q7: Parkinson's disease (H)	58.73% 37 ABCDEGI	26.98% 17	12.70% 8 ABCEG	1.59% 1 ABEGI	0.00% 0 AB	7.93% 63
Q7: Restless Legs Syndrome (RLS) (I)	40.28% 29 ABEGH	27.78% 20	18.06% 13 ABEG	11.11% 8 AH	2.78% 2	9.07% 72

Because of my illness, people avoided looking at me.						
	NEVER	RARELY	SOMETIMES	OFTEN	ALWAYS	TOTAL
Q7: ADHD (A)	41.33% 31 CDF	26.67% 20	22.67% 17	8.00% 6	1.33% 1	9.45% 75
Q7: Chronic pain (B)	32.61% 15 DFI	30.43% 14 F	17.39% 8	13.04% 6 D	6.52% 3 FHI	5.79% 46
Q7: Dystonia (C)	26.61% 58 ADEF GHI	25.69% 56 F	30.28% 66 DEGHI	14.68% 32 DEG	2.75% 6	27.46% 218
Q7: Epilepsy (D)	61.54% 48 ABCEG	20.51% 16	14.10% 11 C	2.56% 2 BC	1.28% 1	9.82% 78
Q7: Migraine or headache (E)	41.58% 42 CDFI	28.71% 29 F	19.80% 20 C	6.93% 7 C	2.97% 3	12.72% 101
Q7: Multiple sclerosis (F)	58.21% 39 ABCEG	13.43% 9 BCEGH	22.39% 15	5.97% 4	0.00% 0 B	8.44% 67
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	41.84% 100 CDFI	27.20% 65 F	22.18% 53 C	7.11% 17 C	1.67% 4	30.10% 239
Q7: Parkinson's disease (H)	50.79% 32 C	28.57% 18 F	14.29% 9 C	6.35% 4	0.00% 0 B	7.93% 63
Q7: Restless Legs Syndrome (RLS) (I)	56.94% 41 BCEG	22.22% 16	12.50% 9 C	8.33% 6	0.00% 0 B	9.07% 72
I felt embarrassed about my illness.						
	NEVER	RARELY	SOMETIMES	OFTEN	ALWAYS	TOTAL
Q7: ADHD (A)	12.00% 9 CF	17.33% 13	37.33% 28	21.33% 16 C	12.00% 9 C	9.45% 75
Q7: Chronic pain (B)	15.22% 7 C	6.52% 3 H	30.43% 14	32.61% 15 F	15.22% 7 F	5.79% 46
Q7: Dystonia (C)	3.18% 7 ABDFGHI	9.55% 21 GH	29.55% 65	33.64% 74 ADFHI	24.09% 53 ADEF GHI	27.71% 220
Q7: Epilepsy (D)	21.79% 17 CEG	15.38% 12	38.46% 30	19.23% 15 CE	5.13% 4 C	9.82% 78
Q7: Migraine or headache (E)	5.94% 6 DFHI	10.89% 11 H	37.62% 38	32.67% 33 DFH	12.87% 13 C	12.72% 101
Q7: Multiple sclerosis (F)	31.34% 21 ACEG	13.43% 9	34.33% 23	16.42% 11 BCE	4.48% 3 BC	8.44% 67
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	12.55% 30 CDFI	17.15% 41 C	31.38% 75	26.78% 64	12.13% 29 C	30.10% 239
Q7: Parkinson's disease (H)	17.74% 11 CE	25.81% 16 BCE	33.87% 21	17.74% 11 CE	4.84% 3 C	7.81% 62
Q7: Restless Legs Syndrome (RLS) (I)	22.22% 16 CEG	15.28% 11	29.17% 21	20.83% 15 C	12.50% 9 C	9.07% 72

Some people acted as though it was my fault I have this illness.						
	NEVER	RARELY	SOMETIMES	OFTEN	ALWAYS	TOTAL
Q7: ADHD (A)	13.33% 10 CDFGHI	9.33% 7 C	32.00% 24 DH	29.33% 22 CDFH	16.00% 12 CDFH	9.45% 75
Q7: Chronic pain (B)	4.35% 2 CDFHI	15.22% 7	34.78% 16 DH	28.26% 13 CDFH	17.39% 8 CDFH	5.79% 46
Q7: Dystonia (C)	39.45% 86 ABDEGH	20.18% 44 AG	23.39% 51 GH	13.30% 29 ABEGH	3.67% 8 ABEGI	27.46% 218
Q7: Epilepsy (D)	60.26% 47 ABCEGI	11.54% 9	15.38% 12 ABGI	8.97% 7 ABEG	3.85% 3 AB	9.82% 78
Q7: Migraine or headache (E)	14.85% 15 CDFGHI	17.82% 18	26.73% 27 H	28.71% 29 CDFH	11.88% 12 CFH	12.72% 101
Q7: Multiple sclerosis (F)	47.76% 32 ABEGH	19.40% 13	19.40% 13 G	11.94% 8 ABEG	1.49% 1 ABEGI	8.44% 67
Q7: Myalgic Encephalomyelitis (ME/CFS) (G)	4.60% 11 ACDEFHI	12.13% 29 C	36.40% 87 CDFH	35.98% 86 CDFHI	10.88% 26 CFH	30.10% 239
Q7: Parkinson's disease (H)	68.25% 43 ABCEFGI	17.46% 11	9.52% 6 ABCEGI	3.17% 2 ABCEGI	1.59% 1 ABEGI	7.93% 63
Q7: Restless Legs Syndrome (RLS) (I)	31.94% 23 ABDEGH	12.50% 9	29.17% 21 DH	16.67% 12 GH	9.72% 7 CFH	9.07% 72